

九州臨床検査精度管理研究会 2010

	Specimen 1				Specimen 2				Specimen 3			
	Result	Mean	SDI	評価	Result	Mean	SDI	評価	Result	Mean	SDI	評価
Chemistry												
AST	114	115.6	-0.5		66	69.4	-1.8		22	22.8	-0.9	
ALT	124	119.7	1.0		73	69.9	1.4		18	18	0.0	
ALP	408	405.4	0.3		335	332.1	0.4		263	260	0.6	
LD	368	368.4	-0.1		272	267.4	1.1		165	164.5	0.2	
-GT	161	161.7	-0.2		102	102.4	-0.2		43	42.8	0.2	
AMY	374	371.2	0.3		236	235.2	0.1		100	99.1	0.4	
CK	414	417.6	-0.4		255	258.3	-0.6		99	100.5	-0.5	
CHE	229	227.4	0.4		295	293.4	0.4		361	359.1	0.4	
TP	5.6	5.6	0.0		7	7.03	-0.3		8.4	8.42	-0.1	
ALB	3.3	3.3	0.0		4.2	4.16	0.4		5.1	5	0.9	
GLU	256	252.5	0.7		178	175.6	0.8		100	98.8	0.6	
BUN	56.2	56.6	-0.4		36	36	0.0		15.5	15.3	0.5	
CRE	4.81	4.78	0.3		2.81	2.82	-0.2		0.82	0.84	-0.5	
UA	8.7	8.68	0.1		7	6.95	0.5		5.2	5.2	0.0	
T-Bil	3.3	3.29	0.1		2	1.95	0.7		0.7	0.7	0.0	
D-Bil	2.1	2.36	-0.8		1.2	1.12	0.4		0.2	0.22	-0.3	
T-CHO	145	146.1	-0.5		186	189.4	-1.0					
HDL-C	45	44.3	0.8		62	62.5	-0.4					
LDL-C	75	77	-0.9		102	106.4	-1.9					
TG	82	82.3	-0.2		93	93.4	-0.2					
Na	135	134.3	0.7		141	141.6	-0.6		148	149	-1.0	
K	4.5	4.49	0.2		4.3	4.35	-0.9		4.2	4.23	-0.6	
Cl	103	103.4	-0.3		106	107.4	-0.9		110	111.3	-0.7	
Mg	1.7	1.74	-0.4		2.62	2.69	-0.5		3.51	3.56	-0.4	
IP	6.8	6.72	0.6		5.6	5.55	0.5		4.4	4.36	0.5	
Fe	73	71.3	1.1		119	116.6	1.1		165	161.7	1.2	
HbA1c	5	5.07	-0.7		5.8	5.79	0.1					
Electrophoresis of protein												
ALB	56.3			-	57.4			-				
1-G	2.4			-	2.3			-				
2-G	6.8			-	6.4			-				
-G	11.7			-	9.9			-				
-G	22.8			-	24			-				
Plasma protein & others												
IgG	603	615.8	-0.4		1365	1360	0.2					
IgA	133	134.2	-0.3		310	310.5	-0.1					
IgM	40	39.8	0.1		98	96.1	0.6					
C3	64	64.9	-0.3		136	139.7	-0.6					
C4	14	14.7	-0.8		31	32.2	-0.7					
CH50	6		-1.3	-	33		-1.0	-				
CRP	0.23	0.22	0.6		3	3.09	-0.7					
Hematology												
Hg b	12.1		0.9	-								
Coagulation												
PT sec	12.05	11.7	0.7	-	41.5	36.8	0.5	-				
PT %	97.3	92.7	0.8	-	18.1	17.7	0.1	-				
PT INR	1.02	1.05	-0.6	-	3.68	3.77	-0.2	-				
APTT	30.25	28.9	0.8	-	52.55	49.4	0.7	-				
Fibrinogen	296.6	267.7	0.1	-	235.1	232.6	0.2	-				

評価：目標値による評価