

九州臨床検査精度管理研究会 2009

	Specimen 1				Specimen 2				Specimen 3			
	Result	Mean	SDI	評価	Result	Mean	SDI	評価	Result	Mean	SDI	評価
Chemistry												
AST	26	26.1	0.2		65	65.2	0.0		100	105.8	-1.5	
ALT	23	22.6	0.8		61	59	1.1		94	95.5	0.3	
ALP	298	294.1	0.8		369	367.3	0.3		442	440.9	0.3	
LD	183	177.4	1.8		288	285.5	0.6		395	391.2	1.0	
-GT	48	47.7	0.0		107	110.8	-2.1		172	173.5	-0.8	
AMY	98	98.7	0.4		127	128.3	-0.1		156	158.1	-0.3	
CK	105	104.4	1.0		274	272.6	0.6		435	446	-0.5	
CHE	333	330.9	0.8		281	278.9	0.9		226	225	0.8	
TP	8.2	8.282	-0.7		7	7.14	-1.2		5.9	5.95	-0.4	
ALB	5.1	4.93	2.0		4.2	4.14	0.5		3.4	3.34	0.0	
GLU	104	105	-0.5		165	168.3	-1.2		229	231.4	-0.5	
BUN	14.9	14.8	0.3		30.2	29.5	1.5		44.5	44.2	0.4	
CRE	0.81	0.82	-0.3		2.72	2.8	-0.6		4.73	4.79	0.1	
UA	5	5.08	-0.7		7.1	7.2	-0.7		9.2	9.31	-0.4	
T-Bil	0.78	0.78	0.3		1.78	1.78	0.0		2.74	2.79	-0.4	
D-Bil	0.16	0.16	-0.5		1.01	1.08	-1.2		1.76	1.99	-1.2	
T-CHO	204	205.8	-0.6		187	192.1	-1.4		188	189.9	-1.2	
HDL-C	63.3	64.6	-1.8		75	76.7	-1.4		57	57.9	-1.0	
LDL-C	115	116.2	-0.5		91	93.8	-0.8		109	111.6	-0.9	
TG	118	112.8	2.3		293	299.5	-0.5		106	104.6	0.7	
Na	149	148.8	-0.2		141	141.1	0.0		133	132.6	0.2	
K	5.5	5.56	-0.9		4.7	4.69	0.2		3.9	3.82	1.7	
Cl	110	110.6	-0.7		105	105.9	-0.9		100	100.8	-0.6	
Mg	2.15	2.17	-0.5		3.04	3.08	-0.7		3.86	3.99	-1.8	
IP	8.1	8.13	-0.2		5.9	5.94	-0.5		3.6	3.71	-1.3	
Fe	104	106.4	-0.6		158	162	-0.8		214	217.8	-0.5	
HbA1c	5.8	6	-1.7		7.8	7.9	-1.1					
Electrophoresis of protein												
ALB	59.5		-1.4		56		-0.8					
1-G	3.1		0.7		3.5		0.3					
2-G	9.1		0.3		10.9		0.7					
-G	10.3		1.2		8.7		-0.9					
-G	18		0.8		20.9		1.4					
Plasma protein & others												
IgG	826	812.7	0.8		1320	1334	-0.6					
IgA	173	178.9	1.0		327	331.1	-0.4					
IgM	54.5	54.5	0.3		88.6	85	0.9					
C3	77.1	73.5	0.8		127.4	118.9	2.0	×				
C4	13.9	13.8	0.5		27.4	25.8	1.1					
CH50	32		0.2	—	42		0.6	—				
CRP	0.19	0.19	0.0		4.38	4.31	0.2					
Hematology												
Hg b	13.7		0.5	—								
Coagulation												
PT sec	39		0.7	—	12.3		1.0	—				
PT %	20.5		0.1	—	92.2		-0.8	—				
PT INR	3.65		0.9	—	1.08		1.5	—				
APTT	65.7		6.6	—	34.5		4.6	—				
Fibrinogen	260				295							

評価：目標値による評価